



GRANIT
QUALITY PARTS

Instructions

Traffic Flare Emergency Warning Light



7070010421



7070010422





7070010420

⚠ WARNING

Do not look directly into LEDs while in operation; may cause momentary blindness and/or eye damage
Do not touch lights until they cool down after working



GRANIT
QUALITY PARTS



1. ON/OFF Switch /Function Switch
2. Work Light
3. Charging Input Contact pad “+”
4. Charging Input Contact pad “-”
5. Foldable Hook
6. Enhanced Magnetic Pad

Specification

Light Source: High Brightness LED, 12pcs

Function: 10Functions

Battery Lithium battery ,1000MA

Charging time 1.5~2Hours

Housing Material: PC

Waterproof IP65

Working Temperature -20 ~ 50


Function Switch



0.5Sec

Turn on/Turn off & Function Switch

- | | |
|-------------------------|-------------------------|
| 1 Turn on | 7 Continuous light-high |
| 2 Rotating | 8 Continuous light-low |
| 3 Quad flashing | 9 2LED Flash light |
| 4 Single flashing | 10 4LED flash light |
| 5 Intermittent flashing | 11 Work light |
| 6 SOS rescue | 12 Turn off |



Function Switch recycle



GRANIT
QUALITY PARTS

Charging Box



6 IN1 Packing



4 IN1 Packing



2 IN1 Packing



Accessories


Charging



Step 1-clear the charging box



Step 2-Put the light into the charging box



Step 3-connect the external power source to start charging




1. Keep the work light up
2. Keep the charging input contactor and the charging output contactor contact well !
3. Keep the "+" & "-" of light and "+" & "-" of charging box contact correspondingly

1. Two charging method can be chosen
2. Two charging port can be chosen




Right Arrangement
when the lights ready to charging



Wronging Arrangement
when the lights ready to charging



Under charging indicator



Charging completed indicator